

Test Report

Report No.: CTT2605013578EN

Page 1 of 9

Applicant: SHENZHEN YOBONJEE TECHNOLOGY CO., LTD

Address: RM615,BLDG 11, TIEDONG LOGISTICS PARK, NO. 3 PING'AN AVENUE, PINGHU
COMMUNITY, PINGHU STREET, LONGGANG DISTRICT, SHENZHEN, CHINA

Sample Received Date: May 14, 2026

Testing Period: May 14, 2026 - May 19, 2026

Report Date: May 19, 2026

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: Strech Fresh

Model No.: YB210

Sample Color: Blue+White

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s): Please refer to next page(s).

Signed for and on Behalf of CTT:

Hilary He

Hilary He
Technical Manager




Verification Report



Guangdong Consumer
Testing Technology Co., Ltd.

No.7, Gongye Beisi Road, Songshanhu High-Tech Industrial Development Park, Dongguan, Guangdong, China.
Tel: 86-0769-8898 9888 Fax: 86-0769-8898 8808 Hot Line: 400 6789 666
Website: <http://www.cttlab.com> Email: enquiry@cttlab.com




Test Report

Report No.: CTT2605013578EN

Page 2 of 9

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	Regulation (EC) No 1935/2004 & (EU) No 10/2011 and its amendments on plastic materials and articles intended to come into contact with food - Specific migration of Phthalate	PASS
2	Regulation (EC) No 1935/2004 & (EU) No 10/2011 and its amendments on plastic materials and articles intended to come into contact with food - Overall Migration - Specific migration of primary aromatic amines - Migration of Heavy metal	PASS
3	Regulation (EU) 2024/3190 and its amendments on the use of bisphenol A (BPA) and other bisphenols and bisphenol derivatives with harmonised classification for specific hazardous properties in certain materials and articles intended to come into contact with food - Bisphenol A (BPA)	PASS



Test Report

Report No.: CTT2605013578EN

Page 3 of 9

Test Result(s):


Specific migration of Phthalate - Regulation (EC) No 1935/2004 & (EU) No 10/2011 and its amendments on plastic materials and articles intended to come into contact with food

Method: EN 13130-1:2004ⁿ

Material No.	Test Item	Limit(mg/kg)	Result(mg/kg)			Conclusion
			1st	2nd	3rd	
1	Dibutyl Phthalate (DBP)	0.12	<0.1	<0.1	<0.1	PASS
	Benzyl butyl Phthalate (BBP)	6	<1	<1	<1	PASS
	Bis (2-ethylhexyl) Phthalate (DEHP)	0.6	<0.5	<0.5	<0.5	PASS
	Phthalic acid, diallyl ester(DAP)	0.01	<0.01	<0.01	<0.01	PASS
	Sum (DINP+DIDP)	1.8	<1	<1	<1	PASS
	SUM(DBP+DIBP+BBP+DEHP)(expressed as DEHP equivalents)	0.6	<0.5	<0.5	<0.5	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. Test Condition: 95% Ethanol(v/v) ,40℃ ,6h.
3. $S/V=6$ (dm²/L), S=surface area, V= volume.
4. The material or article is intended to come into repeated contact with foods, the migration test(s) shall be carried out three times. The results of subsequent migrations must not exceed the previous ones and the determination of compliance is based on the third migration result.



Test Report

Report No.: CTT2605013578EN

Page 4 of 9

Test Result(s):


Overall Migration - Regulation (EC) No 1935/2004 & (EU) No 10/2011 and its amendments on plastic materials and articles intended to come into contact with food

Method: EN 1186-1:2002&EN 1186-3:2022

Material No.	Test Condition	Test Item	LOQ (mg/dm ²)	Limit (mg/dm ²)	Result (mg/dm ²)	Conclusion
1	3% Acetic acid(w/v) , 40°C ,6h	Overall Migration (1st)	3.0	--	N.D.	PASS
		Overall Migration (2nd)	3.0	--	N.D.	
		Overall Migration (3rd)	3.0	10	N.D.	
1	50% Ethanol(v/v) , 40°C ,6h	Overall Migration (1st)	3.0	--	N.D.	PASS
		Overall Migration (2nd)	3.0	--	N.D.	
		Overall Migration (3rd)	3.0	10	N.D.	

NOTE:

1. mg/dm²= milligram per square decimeter.
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. $S/V=10$ (dm²/L), S=surface area, V= volume.
4. The material or article is intended to come into repeated contact with foods, the migration test(s) shall be carried out three times. The results of subsequent migrations must not exceed the previous ones and the determination of compliance is based on the third migration result.
5. "--" = Not Applicable.



Test Report

Report No.: CTT2605013578EN


Page 5 of 9

Test Result(s):

Specific migration of primary aromatic amines - Regulation (EC) No 1935/2004 & (EU) No 10/2011 and its amendments on plastic materials and articles intended to come into contact with food

Method: EN 13130-1:2004

No.	Substances Name	CAS No.	Limit (mg/kg)	Results (mg/kg)		
				1		
				1st	2nd	3rd
1	biphenyl-4-ylamine/ 4-aminodiphenyl/ xenylamine	92-67-1	0.002	<0.002	<0.002	<0.002
2	benzidine	92-87-5	0.002	<0.002	<0.002	<0.002
3	4-chloro-o-toluidine	95-69-2	0.002	<0.002	<0.002	<0.002
4	2-naphthylamine	91-59-8	0.002	<0.002	<0.002	<0.002
5	o-aminoazotoluene/ 4-o-tolylazo-o-toluidine/ 4-amino-2', 3-dimethylazobenzene	97-56-3	0.002	<0.002	<0.002	<0.002
6	2-amino-4-nitrotoluene/ 5-nitro-o-toluidine	99-55-8	0.002	<0.002	<0.002	<0.002
7	4-chloroaniline	106-47-8	0.002	<0.002	<0.002	<0.002
8	4-methoxy-m-phenylenediamine	615-05-4	0.002	<0.002	<0.002	<0.002
9	4,4'-methylenedianiline/4,4'-diaminodiphenylmethane	101-77-9	0.002	<0.002	<0.002	<0.002
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenediamine	91-94-1	0.002	<0.002	<0.002	<0.002
11	3,3'-dimethoxybenzidine/ o-dianisidine	119-90-4	0.002	<0.002	<0.002	<0.002
12	3,3'-dimethylbenzidine/ 4,4'-bi-o-toluidine	119-93-7	0.002	<0.002	<0.002	<0.002
13	4,4'-methylenedi-o-toluidine	838-88-0	0.002	<0.002	<0.002	<0.002
14	6-methoxy-m-toluidine/ p-cresidine	120-71-8	0.002	<0.002	<0.002	<0.002
15	4,4'-methylene-bis-(2-chloroaniline)/ 2,2'-dichloro-4,4'-methylene-dianiline	101-14-4	0.002	<0.002	<0.002	<0.002
16	4,4'-oxydianiline	101-80-4	0.002	<0.002	<0.002	<0.002
17	4,4'-thiodianiline	139-65-1	0.002	<0.002	<0.002	<0.002




Test Report

Report No.: CTT2605013578EN

Page 6 of 9

18	o-toluidine/ 2-aminotoluene	95-53-4	0.002	<0.002	<0.002	<0.002
19	4-methyl-m-phenylenediamine/ 2,4-toluylendiamine	95-80-7	0.002	<0.002	<0.002	<0.002
20	2,4,5-trimethylaniline	137-17-7	0.002	<0.002	<0.002	<0.002
21	o-anisidine / 2-methoxyaniline	90-04-0	0.002	<0.002	<0.002	<0.002
22	4-aminoazobenzene	60-09-3	0.002	<0.002	<0.002	<0.002
23	m-Phenylenediamine	108-45-2	0.002	<0.002	<0.002	<0.002
24	Aniline	62-53-3	0.01	<0.01	<0.01	<0.01
25	2,4-Dimethylaniline/2,4-xylidine	95-68-1				
26	2,6-Dimethylaniline/2,6-xylidine	87-62-7				
27	p-Phenylenediamine/ 1,4-phenylenediamine	106-50-3				
28	2,6-Toluenediamine	823-40-5				
29	1,5-Diaminenaphthalane	2243-62-1				
Conclusion				PASS		

- NOTE:**
1. Test Condition: 3% Acetic acid(w/v) ,40°C ,6h.
 2. $S/V=6(\text{dm}^2/\text{L})$, S=surface area, V= volume.
 3. mg/kg = milligram per kilogram (ppm).
 4. The material or article is intended to come into repeated contact with foods, the migration test(s) shall be carried out three times. The results of subsequent migrations must not exceed the previous ones and the determination of compliance is based on the third migration result.



Test Report

Report No.: CTT2605013578EN

Page 7 of 9


Test Result(s):

Migration of Heavy metal - Regulation (EC) No 1935/2004 & (EU) No 10/2011 and its amendments on plastic materials and articles intended to come into contact with food

Method: EN 13130-1:2004

No.	Elements	Limit (mg/kg)	Results (mg/kg)		
			1		
			1st	2nd	3rd
1	Barium (Ba)	1	<0.1	<0.1	<0.1
2	Cobalt (Co)	0.05	<0.05	<0.05	<0.05
3	Copper (Cu)	5	<0.5	<0.5	<0.5
4	Iron (Fe)	48	<1	<1	<1
5	Lithium (Li)	0.6	<0.1	<0.1	<0.1
6	Manganese (Mn)	0.6	<0.05	<0.05	<0.05
7	Zinc (Zn)	5	<1	<1	<1
8	Aluminium (Al)	1	<0.1	<0.1	<0.1
9	Nickel (Ni)	0.02	<0.01	<0.01	<0.01
10	Lead (Pb)	0.01	<0.01	<0.01	<0.01
11	Cadmium (Cd)	0.002	<0.002	<0.002	<0.002
12	Arsenic (As)	0.01	<0.01	<0.01	<0.01
13	Mercury (Hg)	0.01	<0.01	<0.01	<0.01
14	Chromium (Cr)	0.01	<0.01	<0.01	<0.01
15	Antimony (Sb)	0.04	<0.02	<0.02	<0.02
16	Europium (Eu)	0.05	<0.01	<0.01	<0.01
17	Gadolinium (Gd)	0.05	<0.01	<0.01	<0.01
18	Lanthanum (La)	0.05	<0.01	<0.01	<0.01
19	Terbium (Tb)	0.05	<0.01	<0.01	<0.01
Sum (Eu+Gd+La+Tb)		0.05	<0.01	<0.01	<0.01
Conclusion			PASS		

- NOTE:**
1. Test Condition: 3% Acetic acid(w/v) ,40°C ,6h.
 2. $S/V=6$ (dm²/L), S=surface area, V= volume.
 3. mg/kg = milligram per kilogram (ppm).
 4. The material or article is intended to come into repeated contact with foods, the migration test(s) shall be carried out three times.The results of subsequent migrations must not exceed the previous ones and the determination of compliance is based on the third migration result.



Test Report

Report No.: CTT2605013578EN

Page 8 of 9

Test Result(s):

Bisphenol A (BPA) - Regulation (EU) 2024/3190 and its amendments on the use of bisphenol A (BPA) and other bisphenols and bisphenol derivatives with harmonised classification for specific hazardous properties in certain materials and articles intended to come into contact with food

Method: In house Methodⁿ


Substances	Bisphenol A (BPA)	Conclusion
CAS No.	80-05-7	
LOQ (mg/kg)	0.001	
Limit (mg/kg)	0.001	
Material No.	Result (mg/kg)	
1	N.D.	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).

Test Material List

Material No.	Sample Description	Location
1	White plastic	Chassis (A/B)

Photo of Sample:



Test Report

Report No.: CTT2605013578EN

Page 9 of 9



*** End of Report ***

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample and sample information are provided by the applicant, our company are not responsible for their integrity and authenticity. Unless otherwise stated the results shown in this report only apply to the sample as received. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. This report is only used for scientific research, teaching, internal quality control, not for domestic social impartiality proof data.

